Hearing Research, 25 (1987) 292–293
Elsevier

Contents of Volume 25

No. 1

Editorial 1

R.A. Lutfi (Madison, WI, U.S.A.)
Masking additivity in the hearing-impaired 3

M.J. Mulroy and R.S. Williams (Augusta, GA, U.S.A.)
Auditory stereocilia in the alligator lizard 11

I. Melichar and J. Syka (Prague, Czechoslovakia)
DC potentials in different cells of the stria vascularis measured in vitro 23

I. Melichar and J. Syka (Prague, Czechoslovakia)
Electrophysiological measurements of the stria vascularis potentials in vivo 35

G.P. Richardson, I.J. Russell, V.C. Duance and A.J. Bailey (Brighton and Bristol, U.K.)
Polypeptide composition of the mammalian tectorial membrane 45

T. Arima, T. Uemura and T. Yamamoto (Fukuoka, Japan)
Three-dimensional visualizations of the inner ear hair cell of the guinea pig. A rapid-freeze, deep-etch study of filamentous and membranous organelles 61

D. Robertson, C.-J. Anderson and K.S. Cole (Nedlands, Australia)
Segregation of efferent projections to different turns of the guinea pig cochlea 69

R.P. Bobbin and G. Ceasar (New Orleans, LA, U.S.A.)
Kynurenic acid and γ-D-glutamylaminomethylsulfonic acid suppress the compound action potential of the auditory nerve 77

E.R. Lewis (Berkeley, CA, U.S.A.)
Speculations about noise and the evolution of vertebrate hearing 83

No. 2/3

S. Greenberg, J.T. Marsh, W.S. Brown and J.C. Smith (Madison, WI, Los Angeles, Pasadena and Hawthorne, CA, U.S.A.)
Neural temporal coding of low pitch. I. Human frequency-following responses to complex tones 91

M. Tachibana, H. Morioka, M. Machino and O. Mizukoshi (Kyoto, Japan)
Cytochemical localization of specific carbohydrates in the cochlea using wheat germ agglutinin-gold 115

M. Tachibana and A. Takada (Kyoto, Japan)
Incorporation of palmitic acid in the organ of Corti as revealed by autoradiography 121

D.A. Cotanche, C.U. Cotton, J.T. Gatzy and K.K. Sulik (Chapel Hill, NC, U.S.A.)
Ultrastructural and electrophysiological maturation of the chick tegmentum vasculosum 125

M.S. Tilney, L.G. Tilney and D.J. DeRosier (Philadelphia, PA and Waltham, MA, U.S.A.)
The distribution of hair cell bundle lengths and orientations suggests an unexpected pattern of hair cell stimulation in the chick cochlea 141

P.A. Leake and R.L. Snyder (San Francisco, CA, U.S.A.)
Uptake of horseradish peroxidase from perilymph by cochlear hair cells 153

0378-5955/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

Hearing Research, 25 (1987) 292–293
Elsevier

Contents of Volume 25

No. 1

Editorial 1

R.A. Lutfi (Madison, WI, U.S.A.)
Masking additivity in the hearing-impaired 3

M.J. Mulroy and R.S. Williams (Augusta, GA, U.S.A.)
Auditory stereocilia in the alligator lizard 11

I. Melichar and J. Syka (Prague, Czechoslovakia)
DC potentials in different cells of the stria vascularis measured in vitro 23

I. Melichar and J. Syka (Prague, Czechoslovakia)
Electrophysiological measurements of the stria vascularis potentials in vivo 35

G.P. Richardson, I.J. Russell, V.C. Duance and A.J. Bailey (Brighton and Bristol, U.K.)
Polypeptide composition of the mammalian tectorial membrane 45

T. Arima, T. Uemura and T. Yamamoto (Fukuoka, Japan)
Three-dimensional visualizations of the inner ear hair cell of the guinea pig. A rapid-freeze, deep-etch study of filamentous and membranous organelles 61

D. Robertson, C.-J. Anderson and K.S. Cole (Nedlands, Australia)
Segregation of efferent projections to different turns of the guinea pig cochlea 69

R.P. Bobbin and G. Ceasar (New Orleans, LA, U.S.A.)
Kynurenic acid and γ-D-glutamylaminomethylsulfonic acid suppress the compound action potential of the auditory nerve 77

E.R. Lewis (Berkeley, CA, U.S.A.)
Speculations about noise and the evolution of vertebrate hearing 83

No. 2/3

S. Greenberg, J.T. Marsh, W.S. Brown and J.C. Smith (Madison, WI, Los Angeles, Pasadena and Hawthorne, CA, U.S.A.)
Neural temporal coding of low pitch. I. Human frequency-following responses to complex tones 91

M. Tachibana, H. Morioka, M. Machino and O. Mizukoshi (Kyoto, Japan)
Cytochemical localization of specific carbohydrates in the cochlea using wheat germ agglutinin-gold 115

M. Tachibana and A. Takada (Kyoto, Japan)
Incorporation of palmitic acid in the organ of Corti as revealed by autoradiography 121

D.A. Cotanche, C.U. Cotton, J.T. Gatzy and K.K. Sulik (Chapel Hill, NC, U.S.A.)
Ultrastructural and electrophysiological maturation of the chick tegmentum vasculosum 125

M.S. Tilney, L.G. Tilney and D.J. DeRosier (Philadelphia, PA and Waltham, MA, U.S.A.)
The distribution of hair cell bundle lengths and orientations suggests an unexpected pattern of hair cell stimulation in the chick cochlea 141

P.A. Leake and R.L. Snyder (San Francisco, CA, U.S.A.)
Uptake of horseradish peroxidase from perilymph by cochlear hair cells 153

0378-5955/87/$03.50 © 1987 Elsevier Science Publishers B.V. (Biomedical Division)

293

J.O. Pickles, M.P. Osborne and S.D. Comis (Birmingham, U.K.)
Vulnerability of tip links between stereocilia to acoustic trauma in the guinea pig 173

Z. Khalkhali-Ellis, F.W. Hemming and K.P. Steel (Nottingham, U.K.)
Glycoconjugates of the tectorial membrane 185

C.J. Brown and P.J. Abbas (Iowa City, IA, U.S.A.)
A comparison of AP and ABR tuning curves in the guinea pig 193

W.R. Lippe (Oklahoma City, OK, U.S.A.)
Shift to tonotopic organization in brain stem auditory nuclei of the chicken during late embryonic development 205

P. Heierli, F. de Ribaupierre and Y. de Ribaupierre (Lausanne, Switzerland)
Functional properties and interactions of neuron pairs simultaneously recorded in the medial geniculate body of the cat 209

J. Santos-Sacchi (Newark, NJ, U.S.A.)
Electrical coupling differs in the in vitro and in vivo organ of Corti 227

C.M. Hillery and P.M. Narins (Los Angeles, CA, U.S.A.)
Frequency and time domain comparison of low-frequency auditory fiber responses in two anuran amphibians 233

L. Schweitzer (Durham, NC, U.S.A.)
Development of brainstem auditory evoked responses in the hamster 249

D.M. Harris (Chicago, IL, U.S.A.)
Current source density analysis of frequency coding in the inferior colliculus 257

D.A. Cotanche, J.C. Saunders and L.G. Tilney (Philadelphia, PA, U.S.A.)
Hair cell damage produced by acoustic trauma in the chick cochlea 267

Acknowledgement of referees 287

Announcements 291

Contents of Volume 25 292

Author index 294

Subject index 296